





4

3

2

1




T = THICKNESS

DIA. TO FIT PIN WHEN PRESSED OPEN

NO.	A	B	C	T
-1	2 1/8	1/8	1 1/2	20 GA.
-2	4 1/8	1/8	1 1/2	20 GA.
-3	2 1/8	3/16	1 1/2	20 GA.
-4	4 1/8	3/16	1 1/2	20 GA.
-5	2 1/8	1/4	2	20 GA.
-6	4 1/8	1/4	2	20 GA.

**PROPRIETARY AND CONFIDENTIAL**  
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF MALCO. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF MALCO IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:	NAME	DATE		
		DIMENSIONS ARE IN INCHES	DRAWN	MW	1/5/26	TITLE:
		TOLERANCES:	CHECKED			
		FRACTIONAL: ±	ENG APPR.			
		ANGULAR: MACH ± BEND ±	MFG APPR.			
		TWO PLACE DECIMAL ±	Q.A.			 SIZE <b>B</b> DWG. NO. <b>AS-265</b> REV <b>0</b>
		THREE PLACE DECIMAL ±	COMMENTS:			
		INTERPRET GEOMETRIC TOLERANCING PER:				SCALE: 2:1
		MATERIAL				WEIGHT:
		Stainless steel				SHEET 1 OF 1
		FINISH				
NEXT ASSY	USED ON					
APPLICATION		DO NOT SCALE DRAWING				

4

3

2

1